## KERALA STATE COASTAL AREA DEVELOPMENT CORPORATION Chalachithra Kalabhavan Building, 1st Floor, Vazhuthacaud, Thiruvananthapuram- 695014

## QUOTATION NOTICE CONDUCT OF UNDERWATER PHOTOGRAPHY/VIDEOGRAPHY

## No.1044/F/14/KSCADC

10.12..2018

Quotations are invited from experienced diving teams for conducting an underwater photography study of the Artificial Reef modules placed offshore of Mariyanadu Fishing Village, Thiruvananthapuram, at a depth of 10-18 fathoms. The team must conduct a detailed underwater photography and videography study using underwater camera, scuba apparatus with statutory safety arrangements and submit the report in duplicate. Duration of the video film shall not be less than 10 minutes and the number of photographs shall not be less than 25 Nos. The fishing vessel for the purpose will be arranged by KSCADC. The study has to be conducted within 14 days on receipt of the confirmed work order.

## Terms & conditions:

1. The rates quoted should be inclusive of all rents and taxes.

2. The **sealed covers** shall be superscribed "Quotations for conduct of underwater study of Artificial Reef for KSCADC".

3. Name and address of officer to whom the quotation is to be sent:

Managing Director Kerala State Coastal Area Development Corporation Ltd First Floor, Chalachitra Kalabhavan building Vazhuthacaud, Thiruvananthapuram, Kerala – PIN: 695014

- 4. Due date and Time for the receipt of Sealed quotations 05.01.2019 at 3.00 PM
- 5. Opening of quotation: **3.30 PM on 05.01.2019.**
- 6. Any quotation received after the time fixed on the due date or submitted without meeting the above conditions will be summarily rejected without assigning any reason whatsoever.
  - (i) Representation for enhancement of rate once accepted will not be considered during the currency of the contract.
  - (ii) Any attempt on the part of quotationers or their agents to influence the Officers concerned in their favour by personal canvassing, will disqualify the quotationers.

**Managing Director** 

**Notice Board**